CTC Business VolP Phones

Polycom VVX 201

Specifications:

- Backlit grayscale screen
- Line Keys 2 programmable line keys
- PoE Built-in auto sensing IEEE 802.3af Power over ethernet (Class 2)
- Ethernet Connectivity 10/100Base-TX across LAN and PC Ports
- Headset Support Dedicated RJ-9 headset port



Poly VVX 250

Specifications:

- 4 line keys support both your lines and autodial or contact keys.
- 4 soft keys are context sensitive providing you easy-to-find features like transfer, conference and call park while you are on the call.
- A 2.8" backlight color display
- Poly HD voice technology and Poly Acoustic fence technology

Polycom VVX 300

- Backlit grayscale screen
- Polycom HD Voice technology delivers life-like voice quality for each audio pathhandset, the hands-free speakerphone, and the optional headset
- Polycom Acoustic Clarity technology providing full-duplex conversations, acoustic echo cancellation and background noise suppression
- 6 lines (programmable line keys)





Poly VVX 350

Specifications:

- 6 line keys support both your lines and autodial or contact keys.
- 4 soft keys are context sensitive providing you easy-to-find features like transfer, conference and call park while you are on the call.
- A large 3.5" backlight color display
- Poly HD voice technology and Poly Acoustic fence technology



Polycom VVX 400

Specifications:

- 3.5" color screen
- Polycom HD Voice technology delivers life-like voice quality for each audio path-handset, the hands-free speakerphone, and the optional headset
- Polycom[®] Acoustic Clarity[™] technology providing full-duplex conversations, acoustic echo cancellation and background noise suppression
- 12 lines (programmable line keys)
- Energy-saving after hours mode



Poly VVX 450

- Make more natural and life-like calls with Polycom HD Voice
- 4.3"color display offers an engaging experience with visual information at a glance
- Two Gigabit Ethernet ports offer cost savings and performance benefits
- USB port for media or storag applications enables users to move data around more quickly



Polycom VVX 501

Specifications:

- 3.5" (9-cm) Color Touchscreen (320 x 240)
- Up to 12 line appearances
- Immersive capacitive touch UI
- Video conferencing via external USB cam (sold seperately)
- HD Voice up to 14KHz on all audio paths (Speaker, Handset, Headset)
- 2 x Ethernet 10/100/1000
- 2 x USB 2.0 host



Polycom VVX 600

Specifications:

- Large (4.3") Color (480 x 272) touchscreen
- Up to 16 line appearances/speed dials
- Video playback and video conferencing via external USB cam (sold seperately)
- Integrated Bluetooth
- Legendary Polycom HD Voice technology up to 14KHz on all audio paths (Speaker, Handset, Headset)
- 2 x Ethernet 10/100/1000
- 2 x USB 2.0 host



Polycom SoundStation IP 6000

- Polycom HD Voice technology
- Patented Polycom Acoustic Clarity technology
- Microphone designed for small to midsize conference rooms with up to 12 participants
- Picks up voices from up to 12 feet away
- High-resolution display
- Integrated Power over Ethernet(PoE) (AC power model is also available)
- Resistance to interference from mobile phones and other wireless



Polycom SoundStation IP 7000

Specifications:

- Large high-resolution display with XHTML Built-in Power over Ethernet (PoE).
- 20-foot (6-meters) microphone pickup. Even more with optional expansion microphones or multi-unit connectivity, reaching all corners of the room
- Automatic Gain Control, which intelligently adjusts the microphone sensitivity based on where participants are seated
- Resistance to interference from mobile phones and other wireless devices, delivering clear communications without distractions



Polycom RealPresence Trio 8800 IP Conference Phone Collaboration Kit

Specifications:

- 5-inch color LCD display
- 20-foot (6-meters) microphone pickup.
- PoE Built-in auto-sensing IEEE 802.3at. PoE (Class 4)
- Video output (HDMI) Up to 1080p, 30fps, 24bbp
- Video input Up to 1080p 30 fps
- Contents Trio 8800, Trio Visual+, and Logitech Webcam C930e
- Energy-saving after hours mode



Panasonic TGP600 Smart IP Wireless Phone System

- 1.8-inch color display
- Support for up to 8 handsets Per base station
- Talk Time Up to 11 hours
- Ethernet Connectivity 10 / 100 base-T auto MDI / MDIX Ethernet LAN port
- 12 lines (programmable line keys)
- Energy-saving after hours mode

